

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437  
Fax: 24023516  
Website: <http://mpcb.gov.in>  
Email: [cac-cell@mpcb.gov.in](mailto:cac-cell@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

ORANGE/L.S.I  
No:- Format1.0/CAC/UAN No.MPCB-  
CONSENT-0000233311/CO/2510000295

Date:  
06/10/2025

To,  
M/s. Sane Guruji Arogya Kendra,  
Sr No. 165 A Malwadi, Hadapsar Tal. Haveli Dist. Pune

Email: [secretary@mam.org.in](mailto:secretary@mam.org.in)  
Contact No.: 9850730341



Grant of Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Previous granted Combined Consent to Operate and BMW Authorization vide No. vide No. Format1.0/CAC/UAN No.0000080863/CR-2106000691 dtd. 15/06/2021
  2. Your application for Combine Consent and Bio-Medical Authorization vide MPCB-CONSENT- 00000121557 and MPCB-BMW\_AUTH-0000037096
  3. The minutes of Consent Appraisal Committee meeting dated 11.02.2025
  4. Show Cause Notice for Refusal of Renewal of CCA vide dtd. 09.05.2025
  5. Reply of the Show Cause Notice for Refusal of CCA submitted on on 16.05.2025
  6. The minutes of Consent Appraisal Committee meeting dated 14.08.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grants a Renewal of Combined Consent to Operate and BMW Authorization (CCA) to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-01-2021** To **31-12-2027**
2. The capital investment of the HCF is **₹5.12** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area HCF Area : - Plot Area 9879.04 M<sup>2</sup> with Built-up area 5005.22 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **250 Nos.** (As per BNH certificate no. LCBP070804964 valid upto 31-03-2025)

**TRUE COPY**

**PRINCIPAL**  
M.A. M's, Sumatibhai Shah  
Ayurved Mahavidyalaya,  
Hadapsar, Pune-411028

**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 120,5 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	10	Kg/M	CHWTSDF

**8. Conditions about Non Hazardous Wastes:-**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	STP Sludge	10	Kg/Day	Composting	Used as a manure
2	Dry waste	15	Kg/Day	Recycle / composting	Sale to authorized party / Manure
3	Wet Waste	25	Kg/Day	Composting	Used as a manure

**9. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**10. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Passco Environmental Solution Pvt.Ltd., Pune** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.


**TRUE COPY**



**PRINCIPAL**  
M.A. M's, Sumatibhai Shah  
Ayurved Mahavidyalaya,  
Hadapsar, Pune-411028

3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. HCE authority shall recycle 60% treated effluent for secondary purposes like Toilet Flushing, floor washing, fire frightening, etc and remaining shall be used on land for gardening and excess shall discharge into local body sewerage system through metering system. Record of the same shall be maintained.
19. If the Total construction Built up Area (BUA) exceeds more than 20,000 Sq. M. then the Project Proponent/HCE Authority shall obtain Environmental Clearance as per EIA Notification, 2006 and its further amendments
20. HCE shall not carry out any expansion in terms of the beds and Building construction without Consent of the Board and without Environmental Clearance, whichever is applicable.
21. HCE shall renew the membership of CBMWTF, CHWTSDF and BNHR certificate before to expiry period regularly.
22. HCE shall provide separate ETP for trade effluent generated from hospital, lab, lab, lab, O.T etc. activity within 3 months period with BG of Rs 1.0 Lakh for compliance of the same.
23. HCE shall operate ETP and STP for the treatment of effluent and sewage generated from the Hospital activity to achieve the CCA standard limit.
24. HCE shall obtain NOC from CGWA for groundwater extraction. To obtain the same, HCE shall cease the extraction of groundwater.

**TRUE COPY**


  
**PRINCIPAL**  
M.A. M's. Sumatibhai Shah  
Ayurved Mahavidyalaya,  
Hadapsar, Pune-411028

25. You shall submit the bank guarantee of INR 2.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 15 days. Non submission of B.G. in specified time shall attract 12% BG interest as per Board's policy.
26. The industry / HCE shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Avinash*



Signed by: Dr. Avinash Dhakne  
Member Secretary  
For and on behalf of,  
Maharashtra Pollution Control Board  
ms@mpcb.gov.in  
2025-10-06 16:43:17 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	110000.00	MPCB-DR-31638	23/01/2025	NEFT
2	68711.00	TXN2509004198	22/09/2025	Online Payment

**Balance fees with the consent UAN No. 80863 of Rs. 20000+ paid fees with BMW Auth Application MPCB-BMW\_AUTH-0000037096 of Rs. 85000 and paid fees with this application is treated as CCA fees, penal charges and BG interest and henceforth no balance fees with the Board.**

**Copy to:**

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I  
- He is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.  
SRO - Pune - I is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**TRUE COPY**

*(Signature)*  
**PRINCIPAL**  
M.A. M's, Sumatibhai Shah  
Ayurved Mahavidyalaya,  
Madapsar, Pune-411028